

बिड दस्तावेज़ / Bid Document

बिड विवरण / Bid Details	
बिड बंद होने की तारीख/समय / Bid End Date/Time	21-08-2026 17:00:00
बिड खुलने की तारीख/समय / Bid Opening Date/Time	21-08-2026 17:30:00
बिड पेशकश वैधता (बंद होने की तारीख से) / Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम / Ministry/State Name	Ministry Of Finance
विभाग का नाम / Department Name	Department Of Financial Services
संगठन का नाम / Organisation Name	National Housing Bank (nhb)
कार्यालय का नाम / Office Name	Ihc Lodhi Road New Delhi
शिकायत निवारण के संपर्क विवरण / Contact details of Grievance redressal	HOD Email id :mahesh.singh@nhb.org.in Buyer Email id: shobhit.tripathi@nhb.org.in
कुल मात्रा / Total Quantity	13
वस्तु श्रेणी / Item Category	Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (Q2) , Modular Table / Meeting Table / Centre Table (V2) (Q2)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years of Experience and Turnover	No
विक्रेता से मांगे गए दस्तावेज़ / Document required from seller	Experience Criteria, Past Performance *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है / Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या / Minimum number of bids required to disable automatic bid extension	1

बिड विवरण/Bid Details	
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	3
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन / Past Performance	10 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
लागू आरसीएम/RCM Applicable	Yes
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2)
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days
निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

आवश्यकता/Required	No
-------------------	----

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
---	-----

सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य $L1+X\%$ / Purchase Preference to MSE OEMs/ Service Provider available upto price within $L1+X\%$	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within $L-1+ 15\%$ (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
4. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 10% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

जीएसटी की धारा 9(3)|/Section 9(3) Of GST

Where ever RCM is applicable, sellers (Regular GST registered seller who opted out of FCM , unregistered seller, seller registered under composition scheme)will be forced to put Zero GST and GST cess in their bids. Buyer will have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this Bid.

जीएसटी की धारा 9(3)| / Section 9(3) Of GST

Where ever RCM is applicable, sellers (Regular GST registered seller who opted out of FCM , unregistered seller, seller registered under composition scheme)will be forced to put Zero GST and GST cess in their bids. Buyer will have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this Bid.

If the buyer has mentioned MSE purchase preference in ATC then service provider is required to upload necessary documents for MSE purchase preference for verification by the buyer during evaluation.

Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (3 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Product	Case or Storage Unit (unit with door)
	Mounting Positioning of Product	Wall Mounted
	Availability of Doors	Yes
	Availability of Drawers	No
	Availability of Locks	No
	Type of lock	NA
	Overall Height of Unit (in mm)	700 - 750
	Overall Width of Unit (in mm)	1050 - 1100
	Depth of Unit (in mm)	450 - 500
Top Section	Material of Top Section	Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of Cushion in Top Section	No
Bottom Section	Material of Bottom Section	Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Side of Lamination in Bottom Section	Both (Top and Bottom Sides) Or higher
	Availability of legs / stand	No
Sides Section	Type of Sides Section	Gable / Sheet
Back Section	Availability of Back Section	Yes
	Material of Back Section	MR (Moisture Resistant) Ply, BWP Ply Or higher
Doors in Unit	Opening Mechanism of Door(s)	Hinged Swing Doors

Additional Specification Parameters - Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (3 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
CORIAN TOP LAMINATE FINISH BACK CREDENZA:-	Refer Terms and Conditions

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess	लागू आरसीएम/R CM Applicable	रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM	रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 /GST Cess 1 as per RCM	GST Cess 2 as per RCM	वैकल्पिक रिवर्स प्रभार /Optional RCM
NA	NA	Yes	18%	NA	NA	No

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SHOBHIT TRIPATHI	380014,National Housing Bank, 302, Third Floor, Vedanta, Opp. Municipal Garden, Usmanpura	3	15

Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (4 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Product	Rack (unit without door or closed compartment), Case or Storage Unit (unit with door), Pedestal
	Mounting Positioning of Product	Wall Mounted, Floor Standing
	Availability of Doors	Yes, No
	Availability of Drawers	Yes, No
	Availability of Locks	Yes, No
	Type of lock	NA, Deadbolt Locks, Cam Locks, Numeric Locks, RFID Locks, Digital Locks

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Overall Height of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550, 1550 - 1600, 1600 - 1650, 1650 - 1700, 1700 - 1750, 1750 - 1800, 1800 - 1850, 1850 - 1900, 1900 - 1950, 1950 - 2000, 2000 - 2050, 2050 - 2100, 2100 - 2150, 2150 - 2200, 2200 - 2250, 2250 - 2300, 2300 - 2350, 2350 - 2400
	Overall Width of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 950, 950 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550
	Depth of Unit (in mm)	300 - 325, 325 - 350, 350 - 375, 375 - 400, 400 - 425, 425 - 450, 450 - 500, 500 - 550, 550 - 600
Top Section	Material of Top Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of Cushion in Top Section	Yes, No
Bottom Section	Material of Bottom Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of legs / stand	Yes, No
Sides Section	Type of Sides Section	Frame, Gable / Sheet
Back Section	Availability of Back Section	Yes, No

Additional Specification Parameters - Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
LAMINATE FINISH BACK CREDENZA UP TO 0.76 MT HT:-	Refer Terms and Conditions

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess	लागू आरसीएम/R CM Applicable	रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM	रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 /GST Cess 1 as per RCM	GST Cess 2 as per RCM	वैकल्पिक रिवर्स प्रभार /Optional RCM
--	---	-----------------------------	---	--	-----------------------	--------------------------------------

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess	लागू आरसीएम/R CM Applicable	रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM	रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 /GST Cess 1 as per RCM	GST Cess 2 as per RCM	वैकल्पिक रिवर्स प्रभार /Optional RCM
NA	NA	Yes	18%	NA	NA	No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SHOBHIT TRIPATHI	380014,National Housing Bank, 302, Third Floor, Vedanta, Opp. Municipal Garden, Usmanpura	4	15

Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (4 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम केटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
GENERIC	Type of Product	Rack (unit without door or closed compartment), Case or Storage Unit (unit with door), Pedestal
	Mounting Positioning of Product	Wall Mounted, Floor Standing
	Availability of Doors	Yes, No
	Availability of Drawers	Yes, No
	Availability of Locks	Yes, No
	Type of lock	NA, Deadbolt Locks, Cam Locks, Numeric Locks, RFID Locks, Digital Locks
	Overall Height of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550, 1550 - 1600, 1600 - 1650, 1650 - 1700, 1700 - 1750, 1750 - 1800, 1800 - 1850, 1850 - 1900, 1900 - 1950, 1950 - 2000, 2000 - 2050, 2050 - 2100, 2100 - 2150, 2150 - 2200, 2200 - 2250, 2250 - 2300, 2300 - 2350, 2350 - 2400
	Overall Width of Unit (in mm)	450 - 500, 500 - 550, 550 - 600, 600 - 650, 650 - 700, 700 - 750, 750 - 800, 800 - 850, 850 - 900, 900 - 950, 950 - 1000, 1000 - 1050, 1050 - 1100, 1100 - 1150, 1150 - 1200, 1200 - 1250, 1250 - 1300, 1300 - 1350, 1350 - 1400, 1400 - 1450, 1450 - 1500, 1500 - 1550

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
	Depth of Unit (in mm)	300 - 325, 325 - 350, 350 - 375, 375 - 400, 400 - 425, 425 - 450, 450 - 500, 500 - 550, 550 - 600
Top Section	Material of Top Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of Cushion in Top Section	Yes, No
Bottom Section	Material of Bottom Section	Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Availability of legs / stand	Yes, No
Sides Section	Type of Sides Section	Frame, Gable / Sheet
Back Section	Availability of Back Section	Yes, No

Additional Specification Parameters - Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2) (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
LAMINATE FINISH OFFICER TABLE:-	Refer Terms and Conditions

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess	लागू आरसीएम/R CM Applicable	रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM	रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 /GST Cess 1 as per RCM	GST Cess 2 as per RCM	वैकल्पिक रिवर्स प्रभार /Optional RCM
NA	NA	Yes	18%	NA	NA	No

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SHOBHIT TRIPATHI	380014,National Housing Bank, 302, Third Floor, Vedanta, Opp. Municipal Garden, Usmanpura	4	15

Modular Table / Meeting Table / Centre Table (V2) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply Or higher
	Thickness of Table Top (Tolerance ± 5 mm)	18 mm, 25 mm, 36 mm
	Availability of Table top edge	Yes
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Rectangle
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm
	Depth of Table Top (Tolerance ± 50 mm)	750 mm
	Height of Table Top Adjustable	No
	Standard Height of Work Top / Minimum Height of Height Adjustable Work Top (Tolerance ± 20 mm)	750 mm
Table Understructure	Material Type in Table Understructure	Wooden/Engineer Wood Understructure
	Support Type in Table Understructure	Gable
	Material of Table Understructure	MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	NA
	Thickness of Metal Legs Cross Section	NA
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	18 mm
	Availability of modesty panel	Yes
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
LAMINATE FINISH MIDCABIN OFFICER TABLE:-	Refer Terms and Conditions

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess	लागू आरसीएम/R CM Applicable	रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM	रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 /GST Cess 1 as per RCM	GST Cess 2 as per RCM	वैकल्पिक रिवर्स प्रभार /Optional RCM
NA	NA	Yes	18%	NA	NA	No

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	प्रेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SHOBHIT TRIPATHI	380014,National Housing Bank, 302, Third Floor, Vedanta, Opp. Municipal Garden, Usmanpura	1	15

Modular Table / Meeting Table / Centre Table (V2) (1 pieces)

तकनीकी विशिष्टियाँ /Technical Specifications

[* जेम कैटेगरी विशिष्टि के अनुसार / As per GeM Category Specification](#)

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Top	Table Top Material Type	Particle Board, MDF Board, Marine Ply, BWP Ply, MR (Moisture Resistant) Ply, Glass Or higher
	Availability of Table top edge	Yes, No
	Shape of Table Top (For Circle and Square, Length and Depth must be same)	Square, Rectangle, Circle, Oval, Hexagon, Trapezoid
	Width of Table Top (Tolerance ± 50 mm)	900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm, 600 mm, 750 mm
	Depth of Table Top (Tolerance ± 50 mm)	600 mm, 750 mm, 900 mm, 1050 mm, 1200 mm, 1350 mm, 1500 mm, 1650 mm, 1800 mm, 1950 mm, 2100 mm, 2250 mm, 2400 mm
	Height of Table Top Adjustable	Yes, No

विवरण/Specification	विशिष्टि का नाम /Specification Name	बिड के लिए आवश्यक अनुमत मूल्य /Bid Requirement (Allowed Values)
Table Understructure	Material Type in Table Understructure	Metal Understructure, Wooden/Engineer Wood Understructure, Metal Frame in combination with wooden understructure
	Support Type in Table Understructure	Leg, Gable
	Material of Table Understructure	Mild Steel, Aluminium, Particle Board, MDF Board, Marine Ply, MR (Moisture Resistant) Ply, BWP Ply, Mild Steel with Particle Board, Mild Steel with MDF Board, Mild Steel with Marine Ply, Mild Steel with MR Ply, Mild Steel with BWP Ply Or higher
	Table Understructure Metal Legs Cross Section (Approx)	40 x 40 mm, 50 x 50 mm, 60 x 30 mm, 100 x 40 mm, NA, 50 x 30 mm
	Thickness of Metal Legs Cross Section	NA, 0.8 mm, 1.0 mm, 1.2 mm, 1.6 mm, 2.0 mm
	Thickness of Wooden Leg / Gable (Tolerance ± 2 mm)	18 mm, 25 mm, 36 mm, 45 mm, 50 mm, NA
	Availability of modesty panel	Yes, No
Pedestal / Storage Unit in Table	Availability of Pedestal / Storage Unit	Yes, No

Additional Specification Parameters - Modular Table / Meeting Table / Centre Table (V2) (1 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
CORIAN TOP LAMINATE FINISH CONFERENCE TABLE :-	Refer Terms and Conditions

* Bidders offering must also comply with the additional specification parameters mentioned above.

इनपुट कर क्रेडिट(आईटीसी) तथा रिवर्स प्रभार (आरसीएम)/Input Tax Credit(ITC) and Reverse Charge(RCM) Details

जीएसटी पर इनपुट कर क्रेडिट /ITC on GST	जीएसटी उपकर कर क्रेडिट /ITC on GST Cess	लागू आरसीएम/R CM Applicable	रिवर्स प्रभार के अनुसार जीएसटी/GST as per RCM	रिवर्स प्रभार के अनुसार जीएसटी उपकर 1 /GST Cess 1 as per RCM	GST Cess 2 as per RCM	वैकल्पिक रिवर्स प्रभार /Optional RCM
NA	NA	Yes	18%	NA	NA	No

प्रेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.No.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	SHOBHIT TRIPATHI	380014,National Housing Bank, 302, Third Floor, Vedanta, Opp. Municipal Garden, Usmanpura	1	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

A. Bidder should submit at-least one GEM work order from any Govt. Entity in India.

B. Product Specification, as follows.

1. CORIAN TOP LAMINATE FINISH BACK CREDENZA:-

Providing & fixing 6 mm thk Corian Top Laminate Finish back credenza having depth of 375 mm, with Corian top (top width is 450 mm (which covers sides, edges & 50 mm bottom of ply, front edge 1.5")) based on 19mm Thick. MR grade Ply Wood with all necessary proper solution, finished with rubbing and buffing. Having vertical sandwich supports for shutters & horizontal single self as per given in detail drawings drawers made out of 18 mm Thick. MR grade Ply Wood. Backside of credenza is covered with 12 mm thick MR grade plywood. All exposed and internal joints complete with burma border bidding patti finished with laminate/melamine polish. All exposed & internal surfaces covered with 1 mm laminate of suggested shed, and finished with PU Polish with mat finish and internal surfaces covered with 1 mm thick approved shade laminates as instructed by Architect/consultant/Engineer In charge. Complete as per detail Drawings, with all hardware like MS nails, SS-304 screws, magnet, Stoppers, L - hinges, table chain, 4" mat finish SS handles etc. Total = 3

Place & quantity = Conference room West side & Executive cabin Back side (1 + 1)
Size (LxBxH) = 5'9"x1'3"x2'6" or 1753 x 381 x 762 mm (Top area 6.33 sq. ft, Volume 17.97 cu ft)
Colour = Archid Lam 18334 Classic planked walnut SF
Specifications = Specify drawers and doors

Place & quantity = Conference room East side (1)
Size (LxBxH) = 4'9"x1'3"x2'6" or 1448 x 381 x 762 mm (Top area 5.08 sq. ft, Volume 14.84 cu ft)
Colour = Archid Lam 18334 Classic planked walnut SF

Reconciliation: (Top area = 17.74 sq. ft, Volume = 50.78 cu ft)

2. LAMINATE FINISH BACK CREDENZA UP TO 0.76 MT HT:-

Providing & fixing Laminate Finish Low ht back credenza having depth of 375 mm , with 18 mm MR grade ply top, based on sandwiche width vertical supports made by 18 mm Thick. mr grade Ply Wood with all shutters & horizontal single self (made by 18 mm thick MR grade ply) as per given in detail drawings. Backside of low ht storage is covered with 12 mm thick plywood. Shutters made with 18 mm + 6 mm ply with conceal handles. All exposed and internal joints complete with burma border bidding patti finished with melamine polish. All exposed and internal surfaces covered with 1 mm thick approved shade laminates as instructed by Architect/consultant/Engineer in charge. Complete with all hardware like MS nails, ss-304 screws, magnet, Stoppers, L - hinges, 19 mm multilocks, table chain, conceal handles etc. Total = 4

Place & quantity = Twin mid cabin Backside & Twin cubicle backside (1+1)

Size (LxBxH) = 11'1"x1'3"x2'6" or 3378 x 381 x 762 mm (Top area 13.76 sq. ft per credenza, Volume 34.64 cu ft per credenza)

Colour = Archid Lam 18334 Classic planked walnut SF

Specifications = Specify drawers and doors

Place & quantity = Single mid cabin Backside (1)

Size (LxBxH) = 8'0"x1'3"x2'6" or 2438 x 381 x 762 mm (Top area 10 sq. ft, Volume 25 cu ft)

Colour = Archid Lam 18334 Classic planked walnut SF

Place & quantity = Reception Side (1)

Size (LxBxH) = 3'0"x1'3"x2'6" or 914 x 381 x 762 mm (Top area 3.75 sq. ft, Volume 9.38 cu ft)

Colour = Archid Lam 18334 Classic planked walnut SF

Reconciliation: (Top area = 41.27 sq. ft, Volume = 103.66 cu ft)

3. LAMINATE FINISH OFFICER TABLE:-

Providing & fixing laminate finish table having size of 4'6"x2'3" with height of 750 mm (as per attached detail drawing) Table having 36 mm Thick. at top made by 18 mm thick sandwich ply. Top is cantilever then its base supports. Base supports made by 18 mm thick sandwich ply. A Table having drawers and a shutter in a pedestal and a key board tray at single end. Drawers & Keyboard tray rest on telescopic channels. Shutters & drawers having thickness of 24 mm which are made by 18mm + 6 mm ply to create conceal grooves as handle. Drawers & keyboard, sides, Bottom is covered with 18 mm MR grade ply & Back of pedestal are made up of 12 mm thick MR grade Ply Wood. Having 3" high Footrest of 18 mm ply. At Front facade (covered with grooves & 10mm PVD patties as per given pattern). All internal and external surfaces covered by 1mm thick laminate. all complete with given nos of key board tray, drawers on telescopic channels, locks, stoppers, SS Screws, MS nails, Auto hinges, Cable Manager etc as per shown in detail drawings & as per instructions of architect/consultant/in charge engineer. Contractor has to provide all necessary cut outs for Electrical works & no extra payment shall be made for it. Total = 4

Place & Quantity = Twin mid cabin & Twin cubicle (2 + 2)

Size (LxBxH) = 4'6" x 2'3" x 2'5.5" or 1372 x 686 x 750 mm

Colour = Archid Lam 15001/18208 SF Hiland pine

4. LAMINATE FINISH MIDCABIN OFFICER TABLE:-

Providing & fixing laminate finish table having size of 6' x3' with height of 750 mm (as per attached detail drawing) Table having 36 mm Thick at top made by 18 mm thick sandwich ply. Top is cantilever then its base supports. Base supports made by 18 mm thick sandwich ply. A Table having drawers and a shutter in a two sides pedestal and a key board tray at single end. Drawers & Keyboard tray rest on telescopic channels. Shutters & drawers having thickness of 24 mm which are made by 18mm + 6 mm ply to create conceal grooves as handle. Drawers & keyboard, sides, Bottom is covered with 18 mm MR grade ply & Back of pedestal are made up of 12 mm thick MR grade Ply Wood. Having 3" high Footrest of 18 mm ply. At Front facade (covered with grooves & 10mm PVD patties as per given patterns. All internal and external surfaces covered by 1mm thick laminate. all complete with given nos of key board tray, drawers on telescopic channels, locks, stoppers, SS Screws, MS nails, Auto hinges, Cable Manager etc as per shown in detail drawings & as per instructions of architect/consultant/in charge engineer. Contractor has to provide all necessary cut outs for Electrical works & no extra payment shall be made for it. Total = 1

Place & Quantity = Single mid cabin (1)
Size (LxBxH) = 6' x 3' x 2'5.5" or 1829 x 914 x 750 mm
Colour = Archid Lam 18334 Classic planked walnut SF

5. CORIAN TOP LAMINATE FINISH CONFERENCE TABLE :-

Providing & fixing Corian top Laminate finish conference table having size of 13'-0"x 3'6", having 750 mm height, 6 meeting table having 12mm Thick. Corian Top based on 18 mm thick MR grade plywood finished by rubbing, buffing & pasting (Corian top covers 300 mm bottom of table at longitudinal side & 300 mm bottom of table at shorter side including edges) table have base of 18 mm thick MR grade plywood for footrest & supporting vertical supports made by 12mm+8 mm thick sandwiched Ply for grooving as indicated in drawing. At internal sides use of 0.30 m thick 5 mm smoke mirror and use of pvd patties in elevation as suggested pattern which are pasting on ply with use of appropriate silikon. (as per details given in sectional drawing) Base of the table covered by Burma teak bidding Patti finished with veneer. All external & internal surfaces covered by 1 mm thick laminate of suggested shed All complete as per shown in detail drawings & as per instructions of architect/in charge engineer. Total = 1

Place & Quantity = Conference room (1)
Size (LxBxH) = 13' x 3'6" x 2'5.5" or 1362 x 1067 x 750 mm
Colour = Archid Lam 15064 Siam teak

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer, is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel

the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**
- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate

action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्यवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---